

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON
06-30-2019

NUMBER
3333000335

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PLM



EMLAB P&K LLC
6301 NW 5TH WAY
SUITE 1410
FT LAUDERDALE, FL 33309



Jay W. DeBoer
Jay W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM

NUMBER: 3333000335 EXPIRES: 06-30-2019

EMLAB P&K LLC
6301 NW 5TH WAY
SUITE 1410
FT LAUDERDALE, FL 33309



(FOLD)